

CITY HEALTH SOCIETY, CUTTACK

e-mail:cpmunhm2023.ctc@gmail.com

Tender Reference No: 3715/CPMU/NUHM/CUTTACK

TENDER

DOCUMENT FOR

**INSTALLATION OF HOARDINGS AND
SUPPLY/ FIXING OF DIFFERENT PRINTING &
PAINTING ASSIGNMENTS.**

OFFICE OF THE ADUPHO,
CITY PROGRAMME MANAGEMENT UNIT, CUTTACK,

BLOCK-B,
JAGANNATH LANE, BIKASH BHAWAN, BADAMBADI
CUTTACK-753012

SECTION -I

NOTICE INVITING TENDER

Tender Reference No: _____/CPMU/NUHM/CUTTACK

Dated: _____

TENDERS ARE INVITED FROM ELIGIBLE BIDDERS AS PER THE ELIGIBILITY CRITERIA FOR INSTALLATION OF HOARDINGS / SUPPLY AND FIXING OF DIFFERENT PRINTING & PAINTING ASSIGNMENTS.

1	Period of Availability of Tender Document	From 14.08.2025 TO 02.09.2025 (Downloadable from website: cmccuttack.odisha.gov.in) In case of any bid amendment and clarification, it is the responsibility of the bidders to collect the same from the aforementioned website before the last date of submission of the tender document, and the tender inviting authority shall have no responsibility for any delay or omission on the part of the bidder.
2	Date, time & place of Pre-bid meeting	Date: 18.08.2025, Time: 11.30 am Place: Office of the ADUPHO, Block -B, Jagannath Lane, Bikash Bhawan, Badambadi, Cuttack, 753012
3	Last date & time for submission of Tender	Date:- 02.09.2025 Time: 12.00 Noon Address of Submission of Bid: Office of the ADUPHO, Cuttack, Block- B, City Programme Management Unit, Jagannath Lane, Bikash Bhawan, Badambadi Cuttack Pin-753012 (Through Speed post/ Registered post / Courier
4	Date, time and place of opening of Tender	a) Technical Bid (Cover A) opening at 02.09.2025 at 12.30 pm at the address mentioned above. b) Financial Bid (Cover B): The date of opening of financial bid will be intimated to the firms found successful in the technical bid evaluation. (Venue is mentioned at the address mentioned above) (Bidders/authorized representatives may remain present at the time of opening of bid)

SECTION-II

IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERER

1.	Mode of Procurement	Mode of Procurement Through open advertisement
2.	Purchaser	ADUPHO, Cuttack
3.	Consignee	Different Institutions // Places under Cuttack Municipal Corporation Area.
4.	Delivery // Installation Period	Within 20days from issue of the purchase order.
5.	Tender Document Cost	Rs.2,500/- The tender document cost is to be submitted in the shape of a bank draft in favor of City Health Society, NUHM, Cuttack from any Nationalized / Scheduled Bank payable at Cuttack.
6.	Earnest Money Deposit (EMD)	Note: The bidder may quote for any or all the items required by submitting an appropriate amount of EMD for that purpose. The Earnest Money Deposit will be paid of Rs. 20,000/- in the shape of a demand Draft only in favor of City Health Society, NUHM, Cuttack from any Nationalized / Scheduled Bank payable at Cuttack.
7.	(Eligibility Criteria)	Detailed eligibility criteria is mentioned at Clause 2.1, in Section-III

SECTION-III

TERMS AND CONDITIONS FOR INSTALLATION OF HOARDINGS AND SUPPLY/FIXING OF DIFFERENT PRINTING & PAINTING ASSIGNMENTS.

1.1 Sealed tenders will be received till **02.09.2025** up to **12:00 Noon** by the office of the ADUPHO, Cuttack, City Programme Management Unit, Jagannath Lane, Bikash Bhawan, Badambadi, Cuttack. Any tender received after the due date & time will be rejected / returned to the sender unopened. The tenders will be received through Regd. Post/Courier services/Speed Post.

1.2 Pre-bid conference shall be held in the office chamber of ADUPHO, Cuttack on 18.08.2025 at Office of the ADUPHO, City Programme Management Unit, Bikash Bhawan, Badambadi, Cuttack. The prospective bidders may attend and clarify any doubts on the terms and conditions of the bid document.

1.3 The bidder(s) are to submit their tenders in separate sealed covers/envelops for technical bid and Financial bid by super scribing Cover "A" (Technical Bid) & Cover "B" (Price Bid) and both these sealed covers should be put into a third outer Cover, which should be superscripted as "Tender for Installation of Hoardings and Supply/Fixing of different Printing & Painting Assignments."

1.4 The Sealed tenders "Cover A" (Technical Bid) submitted by the tenderers will be opened at the office of the ADUPHO-CUTTACK, Jagannath Lane, Bikash Bhawan, Badambadi, Cuttack, on 02.09.2025 at 12.00 pm. The tenderer or their duly authorized representatives are allowed to be present during the opening of the tenders if they so like.

ELIGIBILITY CRITERIA

2.1 Agencies are eligible to participate in the tender provided, they fulfill the following conditions:

I. Must have valid **DIC / MSME / SSI Registration & GST Registration Certificate**.

II. Tenderer should have **proof of supply of similar items** mentioned in the schedule of requirement to any Govt. organization / Corporate / PSU / UN Agencies and purchase order copies in support of that in last 3 years. (As per format Annexure VII - (Item-wise))

III. **Proof of annual average turnover of Rs. 50.00 lacs or more in the last three (3) financial years** certified by the Chartered Accountant as per the format at Annexure VI.

IV. Manufacturing unit who has been **blacklisted** either by the Tender inviting authority or by any state Govt. or Central Govt. organization is not eligible to participate in the tender for that item during the period of blacklisting. Copies of stay order(s) if any against the blacklisting should be furnished along with the bid.

V. Tenderer who have been previously empanelled and failed to carry out supply orders issued to them by office of ADUPHO-CUTTACK without citing any reason for same, are not eligible to apply.

DOCUMENTS TO BE SUBMITTED

The following documents should be enclosed in Cover "A" (Technical Bid)

By the tendered. All the photocopies are to be attested by a Notary Public.



(COVER-A) TECHNICAL BID:

3.1 Checklist with detail of the documents enclosed in Cover "A" with page number. The documents should be serially arranged and should be securely tied and bound.

3.2 Photocopy of PAN Card and GST Registration Certificate.

3.3 Photocopy of DIC/MSME/SSI Registration Certificate.

3.4 Tender document fee of Rs. 2,500/- in shape of Demand Draft.

3.5 Earnest Money Deposit(s) as mentioned in the Clause 6 of Section - II in shape of Demand Draft. Details of EMD and the name of the agency should be clearly mentioned.

3.6 Details name, address, telephone no., Fax, e-mail of the agency and office in Odisha.

3.7 The declaration form in Annexure-IV duly signed by the tenderer before Notary Public/Executive Magistrate.

3.8 Certificate duly filled by the Auditor / Chartered Accountant that the annual average turnover of the firm is **Rs. 50.00 lacs or more** in last 3 financial years.

3.9 Performance Statement (Annexure - VII) (Item-wise) during the last three years towards proof of supply of similar items to any Govt. organization/Corporate Hospitals/PSU Hospitals /UN Agencies. The copy of Purchase orders should be furnished in support of the information provided in the performance statement (Item-wise).

(COVER-B) PRICE BID

4: The price to be quoted for items should be sent in the prescribed price format in a separate sealed covers hereafter called Cover "B" (Price Bid).

Cover B (Price Bid) of the tenderers who qualify in its Technical Bid (Cover - A and complies to tender specification & find to be as per technical specification and Product demonstration (if required) will only be opened.

The tender format (Price Schedule) in duplicate in the prescribed form (as per Annexure - IX), must be submitted in Cover-B. The price of the item should be quoted inclusive of material cost, Tax, transportation, erection, mounting. In case of difference in words and figures, words will be taken into consideration for evaluation.

The Cover "B" of tenderers, who qualifies in their technical bid, will only be opened at the office of "ADUPHO-CUTTACK". The date of opening of financial bid will be intimated to the firms found successful in the technical bid evaluation. The date of opening of financial bid will be decided by the committee on the date of opening of technical bid or may be opened on the same date as decided by the committee.



EARNEST MONEY DEPOSIT

5.1 The amount of Earnest Money Deposit required is mentioned in the Section-II. The Earnest Money Deposit will be submitted in the shape of demand Draft only in favor of City Health Society, NUHM, Cuttack from any Nationalized / Scheduled Bank payable at Cuttack.

5.2 The EMD of the unsuccessful tenderers will be returned back without interest after placement of purchase order to the successful tenderer and EMD of successful tenderer will be returned back without interest after expiry of tender period.

5.3 The EMD will be forfeited if the tenderer withdraws its tender / furnish forged documents which is found during bid evaluation OR doesn't sign the contract / doesn't furnish performance security / doesn't supply the items (in case of successful bidder) within the stipulated time period.

AGREEMENT

6.1 The agreement (as per Annexure – X) will be signed between the supplier and the purchaser and will be kept by the purchaser.

TENDER CONDITIONS:

7.1 Tenders should be typewritten or computerized and every correction in the tender should invariably be attested with signature by the tenderer with date before submission, failing which the tender will be ineligible for further consideration.

7.2 Rates inclusive of material cost, transportation, erection, mounting & GST and other taxes as applicable should be mentioned in separate columns. The rates quoted should be in Indian Rupees only. Rates quoted in any other currency will not be accepted.

7.3 The purchaser shall be responsible only after delivery and due verification, installation, erection and fixing as applicable to the respective of the product.

7.4 The rate per unit shall not vary with the quantum of order placed for destination point.

7.5 If there is difference between figures & words, words will be taken into consideration.

7.6 In the event of the date being declared as a holiday by Govt. of Odisha, the due date of sale, submission of bids and opening of bids will be the following working day at the scheduled place & time.

7.7 No tenderer shall be allowed at any time on any ground whatsoever to claim revision or modification in the rate quoted by him. Clerical error/typographical error, etc. committed by the tenderers in the tender forms shall not be considered after opening of tenders. Conditions such as "SUBJECT TO AVAILABILITY" / "SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED" etc., will not be considered under any circumstance and the tenders of those who have given such conditions shall be treated as incomplete and for that reason, shall be rejected.

7.8 If at any time during the period of rate contract, the price of tendered item is reduced or brought down by any law or act of the Central or State Government or the tenderer, the tenderer shall be morally and statutorily bound to inform the purchaser immediately about such reduction in the contracted price. The purchaser is empowered to unilaterally effect such reduction in rate, in case the tenderer fails to notify or fails to agree for such reduction of rate.

7.9 If any information or documents furnished by the tenderer with the tender papers are found to be misleading or incorrect at any stage the tender of the relevant items in the approved list shall be cancelled and steps will be taken to blacklist the said firm for three (3) years.



7.10 Rate should be quoted in Indian Currency, both in words and figures against each item as the payments

will be made in Indian currencies only (Annexure-IX). The tenderer shall not quote the rate for any item other than the item specified in the list. (Section V – Schedule of Requirement).

7.11 Both Cover-A and Cover-B should have an index and page number of all the documents submitted inside that cover.

7.12 The Tax will be charged as per the guidelines given by the Finance Dept., Govt. of Odisha from time to time.

7.13 The requirement of items may increase or decrease depending on the situation.

TERMS OF PAYMENT:

8.1 No advance payments will be made to the tenderer.

8.2 100% of the bill value shall be paid to the agency on receipt of the installation certificate/ supply challan of the item certified by appropriate authority from the consignee.

8.3 No claims shall be made against the purchaser in respect of interest on earnest money deposit or any delayed payment or any other deposit.

8.4 Payment will be released to the bank account of the supplying agency through E-transfer or PFMS.

PENALTIES:

9.1 Violating the tender terms and conditions & non supply / supply which is not as per technical specification will disqualify the firm to participate in the tender for a period of 2 (two) years from the date of issue of letter and his E.M.D & performance security deposit will be forfeited and no further purchase order will be placed to that firm for that item.

9.2 In the event of any dispute arising out of the tender, such disputes would be subject to the jurisdiction of the High Court of Odisha.



SECTION - IV
SCHEDULE OF REQUIREMENT

SL No.	Name of the Item	Specification	Unit of Measure	Quoted price
1	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per sqcm	
2		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per sqcm	
3		Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per sqcm	
4		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per sqcm	
5	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Single side Printing	Per sqcm	
6		Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm	
7		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per sqcm	
8		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm	
9		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side printing	Per sqcm	
10		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm	
11		Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing	Per sqcm	
12		Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm	
13	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing, 3 fold with 6 pages	Per Folder	
14		Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing, 3 fold with 6 pages	Per Folder	
15		Paper Size- 36 cm X 24.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing, 3 fold with 6 pages	Per Folder	
16		Paper Size- 36 cm X 24.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing, 3 fold with 6 pages	Per Folder	
17		Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing, 3 fold with 6 pages	Per Folder	
18		Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing, 3 fold with 6 pages	Per Folder	
19		Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing, 3 fold with 6 pages	Per Folder	
20		Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing, 3 fold with 6 pages	Per Folder	
21	Patient Treatment Card/Booklet	Paper size – 28cmX22cm, Total 6 sheets, Cover page-220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 24 pages of 14cm X 22 cm booklet.	Per Booklet	
22	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stapling in the middle of the booklet	Per Booklet	

23	Booklet	Paper Size-42 cm X 27 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplitho paper, Post Process:- single fold and stappling in the middle of the booklet	Per Booklet	
24	ASHA Incentive claim voucher pad for 14 activity	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
25	ASHA Incentive claim voucher pad for rest 50 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	
26	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 160 GSM drawing sheet, single side multicolour offset printing	Per Card	
27	Sector Meeting Register	Paper size – 30cm*20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	
28	HBNC Format	Unit: Booklet, size- 1/4 demy, total pages-12 paper quality- 80 GSM maplitho paper, Brightness-77 (minimum)both side printing of all pages Post Process- binding centre stitching with perforation of last page	Per Piece	
29	ASHA Incentive Voucher Book	50 sheet voucher book with single side printing, Paper quality – 60-70 GSM, Paper size – 10.5 X 29.5 cm, Post process – Binding with 220 GSM paper on the front & back cover of the book	Per Piece	
30	HBVC Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black (In Odia) 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size: Demy Paper: Original Sheet (White Colour) - 75 GSM Maplitho, Brightness: 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBVC Checklist for ASHA) Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)	Per Booklet	
31	Printing of Forms Black & White	Paper size- A4, Quality -60-70 GSM Single side B/W print	Per Sheet	
32		Paper size- A4, Quality -60-70 GSM Both side B/W print	Per Sheet	
33		Paper size- A3, Quality -60-70 GSM Single side B/W print	Per Sheet	
34		Paper size- A3, Quality -60-70 GSM Both side B/W print	Per Sheet	
35		Paper size- A2, Quality -60-70 GSM Single side B/W print	Per Sheet	
36		Paper size- A2, Quality -60-70 GSM Both side B/W print	Per Sheet	
37		Paper size- Legal- FS, Quality -60-70 GSM Single side B/W print	Per Sheet	
38		Paper size- Legal- FS, Quality -60-70 GSM Both side B/W print	Per Sheet	
39	Printing of Forms Multi colour	Paper size- A4, Quality – 130 GSM Single side print	Per Sheet	
40		Paper size- A4, Quality – 130 GSM Both side print	Per Sheet	
41		Paper size- A3, Quality – 130 GSM Single side print	Per Sheet	



42		Paper size- A3, Quality – 130 GSM Both side print	Per Sheet	
43		Paper size- A2, Quality – 130 GSM Single side print	Per Sheet	
44		Paper size- A2, Quality – 130 GSM Both side print	Per Sheet	
50	Register	Paper Size- 34 cm X 42 cm, Both side landscaping printing, Paper Quality- 60-70 GSM, Post Process- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the Register, Colour- Black & White, 150 pages	Per Register	
51		Paper Size- 34 cm X 42 cm, Both side landscaping printing, Paper Quality- 60-70 GSM, Post Process- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the Register, Colour- Black & White, 300 pages	Per Register	
52		Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	
53		Paper size – 30cmX20cm, Total pages- 300 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	
54	OPD Register/IPD Registers	Paper size – 42 cm X 56 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – single fold with centre Thread Stitching	Per Register	
55	Patient Referral Slips	Unit- Book let, No of sheets: 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, One sheet of booklet shall be printed as "Original" and the next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Piece	
56	Glow Sign Board	Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frame Box – 18 gauge GI sheet, Back Lid print including electrical quality lighting	Per Square Feet	
57	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (9refers). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing an second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less then 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Pad	
58	Lab Reporting Pad	Paper Size :- 15 cm X 21 cm. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheet with perforations/ adhesive at the pad for easy	Per Pad	

		tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.		
59	Printed Medicine Pouch/Envelope	Multi-Colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch	
60	Exhibit/Stand	Multi-Colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet	
61	Printing of Flex Banner	Flex banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet	
62	Printing of Fabric Banner	Fabric banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet	
63	Change of Flex in Hoarding	Multi-Colour CMYK(4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at City	Per Square Feet	
64	Change of Fabric Cloth in Hoarding	Multi-Colour CMYK(4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at City	Per Square Feet	
65	Wall Painting at Slums/Non-Slums & Health Institutions	Multi-Colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet	
66	Branding & Mounting of IEC materials with Sun Boards at Health Institutions	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Cuttack City (Including fitting charges)	Per Square Feet	
67	Branding & Mounting of IEC materials with Sun Boards at Health Institutions	Materials to be used:- 3 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Cuttack City (Including fitting charges)	Per Square Feet	
68	Directional Steel Signage double stand	Material to be used:- JOIST :- 2 inches diameter round/square steel pipe of size – 11 ft height with top cap – 2 nos Display area: 4 ft x 3 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in City) below ground 2 ft, Structure of hoarding will be of 5 feet height from ground level.	Per Piece	
69	Directional Steel Signage single stand	Material to be used:- JOIST :- 2 inches diameter round/square steel pipe of size – 8 ft height with top cap – 1 no. Display area: 1.5 ft x 2 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in City) below ground 2 ft, Structure of hoarding will be of 4 feet height from ground level.	Per Piece	
70	CANOPY	Canopy size – 6ft X 6 ft X 7 ft size (Photo attached – Annex II) Including supply of Fabric Banner for canopy as per size mentioned with fitting. (Prototype of Hoarding is attached in Annexure –II)	Per Canopy	
71		Size of hoarding level is-15ftx12ft - Quality: Angle/Joist frame used should be of good quality MS with epoxy painting. - Joist-5"X2.5"		

	Permanent hoarding near religious places & other strategic Locations	○ Angle-3"X3" ○ Angle- 2"X2" • Base of each pole of the Hoarding should be buried at least 2½feet M-15grade cement concrete reinforcement and cement concreted all around the buried part as well as 1foot above the ground. - Frames should be of Iron Angle • Fabric/cloth matter should be of good quality with digital multi colored printing • Fabric/cloth should be fixed by iron pipe sand GI wires Structure of the hoarding will be at least at a height of 5 feet from the ground level so as to be clearly visible from a distance		
72	Erection of Large Hoarding at strategic locations in the City (Including all cost of Installation)	<u>Specification & Structure (Attached Photo)</u>Hoarding size (Display area) 16 ft X 8 ft, Good Quality of surface angle frame to be used. • Joist - 5 inches X 2.5 inches • Angle - 3 inches X 3 inches • Angle - 2 inches X 2 inches • 3 feet deep concrete on each pole of the board along with supporting iron angle. • Frame should be made from Iron Angle • 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding • Fabric cloth should be pocketed & fixed by iron pipes & GI Wire • Structure of the hoarding will be of 5 feet height from the ground level. (Prototype of Hoarding is attached in Annexure -III)	Per Hoarding	
73	Erection of Mini Hoarding at strategic locations in the City (Including all cost of Installation)	<u>Specification & Structure</u> Size of the Display area in hoarding – 6 ft X 3 ft Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2 inches L iron angle should be used) • Base (inside ground) 2 feet inside cement concrete • Above ground (ground to top) – 8 ft. • Length – 6 ft iron angle (2 inches L Iron angle should be used) • Mid Joist Bar to support display material – 3 ft L iron angle (2 inch L iron angle should be used) (Prototype of Hoarding is attached in Annexure -IV)	Per Hoarding	
74	Erection of Mini Hoarding at strategic locations in the City (Including all cost of Installation)	<u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material – preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2" L Iron angle should be used) • Base (inside ground) -2 ft inside cement concrete • Above Ground (ground to top) 8 ft • Length – 4 ft L iron angle (2" L Iron angle should be used) • Mid Joist bar to support display material – 3 ft L Iron angle (2" L Iron angle should be used) (Prototype of Hoarding is attached in Annexure -IV)	Per Hoarding	
75	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1 inch Steel square bar, display material:- 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18" X 9"	Per Piece	

76	Welcome Board of MAS	MAS Welcome Board: 2 ft X 1 ft size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1"x1" L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity. (Prototype of Hoarding is attached in Annexure -V)	Per Piece	
77	Report Pad	Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
78	Report Pad	Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	
79	Flipbook for MAS, ASHA & Other FLWs	Size : 30 cm X 20 cm Pages : 50 pages (25 sheets) (Tentative) Paper : 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting	Per Flipbook	
80	Printing of Health Calendar with lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour off set printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination	Per Calendar	
81	Dynamic Steel/ Aluminium frame wide base Standee	Size: 5ft X 3ft or 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi Colour fabric media printing with mounting	Per standee	
82	Retro signage for UHND & RI Points	Board Size: 1.5ft height x 1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates. (Prototype of Hoarding is attached in Annexure -VI)	Per Sq. ft	
83	Installation of Retro-Hoarding	Board Size: 4ft height x 3ft Width Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminium sheet / ACP (0.25 +3.50+0.25-pd/vf coated) over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading, peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting / rebar reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation etc. required for the work. (Prototype of Hoarding is attached in Annexure -VII)	Per hoarding	

84	Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft, top 5ftx2.5ft & top side 10ft long temple model) (Prototype of vehicle attached in Annexure – D)	Per Vehicle	
85	Movement of Vehicle for awareness on different themes	Vehicle type- TATA ACE, Branding- One Time, On daily basis Mikingin Prominent as well as Market Place & connected areas. (Approx. 30-40 KM per Day as per route chart)	Per Day	
86	Movement of Vehicle for awareness on different themes	Vehicle type- TATA ACE, Branding- One Time, On daily basis with LED Shows in Prominent as well as Market Place & connected areas. (Approx. 30-40 KM per Day as per route chart)	Per Day	
87	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi-colour stickering to be made as per sample graphics provided.	Per sq. ft.	
86	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate	
87	Stickering	Radium Stickering	Per sq. ft.	
88	Stickering	Vinyl Stickering	Per sq. ft.	
89	CBAC Form	Paper size- A4, Quality -90 GSM Both side B/W print	Per Sheet	
90	Card	12 cm X 9 cm (220 GSM Art Paper) printed with Multi colour	Per card	
91	Display of Message using Tin Plate	Thickness:- 0.30 MM Multi colour Printing	Per sq. ft.	

be submitted in *Cover A-Technical Bid*)

LIST OF ITEM(S) QUOTED

Sl.No	Name of Item(s)	Specification
1		
2		
3		
4		
5		
6		
07		
08		
09		
10		

Signature of the Tenderer:

Date:

Official Seal:

Annexure I

(To be submitted in *Cover A-Technical Bid*)

SLN	Name of Item	Submitted or not	Remarks
1	Name, Address, Telephone & Fax of the organization.		
2	Photocopy of PAN		
3	Photocopy of DIC/MSME/SSI Registration Certificate		
4	Photocopy of GST Registration Certificate		
5	DD for tender document fee		
6	DD in shape of Earnest Money Deposit		
7	Photocopy of audited financial statement Of last three years		
8	Turnover Certificate of last three years duly certified by Chartered Accountant		
9	Affidavit of Declaration		
10	Proof of supply/Installation of quoted items		
11	Proform a statement		

Signature of the Tenderer:

Date:

Official

Seal



Annexure II A

(To be submitted in *Cover A-Technical Bid*)

DETAILS OF EMD(S) SUBMITTED

SL	Name of Item	EMD Amount(Rs.)
	TOTAL(Rs.)	

Signature of the Tenderer

:Date:

Official Seal:



Annexure VII (Refer Clause no. 2.1 (ii))
CRMA FOR PERFORMANCE STA
(For the period of last three years)

ITEM WISE (Pl. Furnish separate performance statement item wise if the bidder quote form or ethanoneitem & attach the order copies along with each performance statement)

TenderReferenceNo. _____/CPMU/NUHM/CUITACK:

NameofTenderer:
NameofManufacturer

• • • • •

Name of the item _____

[illegible]

ore and seal of the Tenderer

1/5

ANNEXURE IX
(To be submitted in COVER B-PRICE BID)

[Note : Price schedule should be submitted in separate sheets for each item(s) quoted and sealed in separate envelopes. Each envelop should be superscribed with the *Item Name* & all the envelops should be sealed in a outer Cover envelop superscribed as Cover B -PriceBid]

List of Enclosures to be submitted in Price Bid:

- 1) Price schedule format duly filled in and signed by the authorized signatory with company seal
- 2) Price schedule for each item sealed in separate envelopes superscribed with Item Name

PRICE SCHEDULE

Sl. No	Item Name	Specification	Unit Measure	Rate per unit in Rs. (Exclusive of tax and other charges)	Other Incidental Charges if any	GST & other Taxes as applicable	Total Cost per unit inclusive of Taxes
1	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per sqcm				
2		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per sqcm				
3		Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per sqcm				
4		Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per sqcm				
5	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Single side Printing	Per sqcm				
6		Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm				
7		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per sqcm				
8		Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per sqcm				
9		Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process-	Per sqcm				



Multicolour single side printing

Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing

Per sqcm

Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing

Per sqcm

Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing

Per sqcm

Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing

Per Folder

Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing

Per Folder

Paper Size- 36 cm X 24.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing

Per Folder

Paper Size- 36 cm X 24.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing

Per Folder

Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing

Per Folder

Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing

Per Folder

Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing

Per Folder

Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing

Per Folder

Paper size - 28cmX22cm, Total 6 sheets, Cover page-220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stapling in the middle of the booklet page wise, resulting to 24 pages of 14cm X 22 cm booklet.

Per Booklet

Paper Size-28 cm X 21 cm, Total - 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page - 90 GSM brightening white Maplittho paper, Post Process:- single fold and stapling in the middle of the booklet

Per Booklet

Paper Size-42 cm X 27 cm, Total - 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page - 90 GSM brightening white Maplittho paper, Post Process:- single fold and stapling in the middle of the booklet

Per Booklet

24	ASHA Incentive claim voucher pad for 14 activity	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad				
25	ASHA Incentive claim voucher pad for rest 50 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad				
26	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 160 GSM drawing sheet, single side multicolour offset printing	Per Card				
27	Sector Meeting Register	Paper size – 30cm*20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register				
28	HBNC Format	Unit: Booklet, size- 1/4 demy, total pages- 12 paper quality- 80 GSM maplitho paper, Brightness-77 (minimum)both side printing of all pages Post Process- binding centre stitching with perforation of last page	Per Piece				
29	ASHA Incentive Voucher Book	50 sheet voucher book with single side printing, Paper quality – 60-70 GSM, Paper size – 10.5 X 29.5 cm, Post process – Binding with 220 GSM paper on the front & back cover of the book	Per Piece				
30	HBYC Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black (In Odia) 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size: Demy Paper: Original Sheet (White Colour) - 75 GSM Maplitho, Brightness: 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBYC Checklist for ASHA)	Per Booklet Per Sheet Per Sheet Per Sheet Per Sheet				

		Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)	Per Booklet				
31	Printing of Forms Black & White	Paper size- A4, Quality -60-70 GSM Single side B/W print	Per Sheet				
32		Paper size- A4, Quality -60-70 GSM Both side B/W print print	Per Sheet				
33		Paper size- A3, Quality -60-70 GSM Single side B/W print	Per Sheet				
34		Paper size- A3, Quality -60-70 GSM Both side B/W print	Per Sheet				
35		Paper size- A2, Quality -60-70 GSM Single side B/W print	Per Sheet				
36		Paper size- A2, Quality -60-70 GSM Both side B/W print	Per Sheet				
37		Paper size- Legal- FS, Quality -60-70 GSM Single side B/W print	Per Sheet				
38		Paper size- Legal- FS, Quality -60-70 GSM Both side B/W print	Per Sheet				
39	Printing of Forms Multi colour	Paper size- A4, Quality – 130 GSM Single side print	Per Sheet				
40		Paper size- A4, Quality – 130 GSM Both side print	Per Sheet				
41		Paper size- A3, Quality – 130 GSM Single side print	Per Sheet				
42		Paper size- A3, Quality – 130 GSM Both side print	Per Sheet				
43		Paper size- A2, Quality – 130 GSM Single side print	Per Sheet				
44		Paper size- A2, Quality – 130 GSM Both side print	Per Sheet				
50	Register	Paper Size- 34 cm X 42 cm, Both side landscaping printing, Paper Quality- 60-70 GSM, Post Process- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the Register, Colour- Black & White, 150 pages	Per Register				
51		Paper Size- 34 cm X 42 cm, Both side landscaping printing, Paper Quality- 60-70 GSM, Post Process- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the Register, Colour- Black & White, 300 pages	Per Register				
52		Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register				
53		Paper size – 30cmX20cm, Total pages- 300 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register				

	Register/IPD Slips	Paper size – 42 cm X 56 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – single fold with centre Thread Stitching	Per Pouch				
55	Patient Referral Slips	Unit- Book let, No of sheets: 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, One sheet of booklet shall be printed as "Original" and the next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Square Feet				
56	Glow Sign Board	Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frameBox – 18 gauge GI sheet, Back Lid print including electrical quality lighting	Per Square Feet				
57	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (refers). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing an second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less than 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Square Feet				
58	Lab Reporting Pad	Paper Size :- 15 cm X 21 cm. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheet with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Square Feet				



	Printed Medicine Pouch/ Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Square Feet				
60	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet				
61	Printing of Flex Banner	Flex banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet				
62	Printing of Fabric Banner	Fabric banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet				
63	Change of Flex in Hoarding	Multi-colour CMYK(4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at City	Per Piece				
64	Change of Fabric Cloth in Hoarding	Multi-colour CMYK(4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at City	Per Piece				
65	Wall Painting at Slums/Non-Slums& Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia& English). Paint of reputed manufacturer to be used.	Per Canopy				
66	Branding & Mounting of IEC materials with Sun Boards at Health Institutions	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Cuttack City (Including fitting charges)					
67	Branding & Mounting of IEC materials with Sun Boards at Health Institutions	Materials to be used:- 3 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Cuttack City (Including fitting charges)	Per Hoarding				

	Directional Steel Signage double stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft height with top cap – 2 nos Display area; 4 ft x 3 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in City) below ground 2 ft. Structure of hoarding will be of 5 feet height from ground level.	Per Hoarding				
59	Directional Steel Signage single stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 8 ft height with top cap – 1 no. Display area: 1.5 ft x 2 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in City) below ground 2 ft. Structure of hoarding will be of 4 feet height from ground level.	Per Hoarding				
70	CANOPY	Canopy size – 6ft X 6 ft X 7 ft size (Photo attached – Annex II) Including supply of Fabric Banner for canopy as per size mentioned with fitting. (Prototype of Hoarding is attached in Annexure –II)	Per Piece				
		Size of hoarding level is – 15ft x 12ft					
		• Quality: Angle/Joist frame used should be of good quality MS with the epoxy painting.					
		o Joist- 5" X 2.5"					
		o Angle- 3" X 3"					
		o Angle- 2" X 2"					
	Permanent hoarding near religious places & other strategic Locations	• Base of each pole of the Hoarding should be buried at least 2 ½ feet M-15 grade cement concrete reinforcement and cement concreted all around the buried part as well as 1 foot above the ground.					
		Frame should be of iron Angle					
71		• Fabric/cloth matter should be of good quality with digital multi colored printing					
		• Fabric/cloth should be fixed by iron pipes and GI wires					
		Structure of the hoarding will be at least at a height of 5 feet from the ground level so as to be clearly visible from a distance					
72	Erection of Large Hoarding at strategic locations in	<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 16 ft X 8 ft.	Per Day Per sq. ft.				

	(Including of ation)	Good Quality of surface angle frame to be used. - Joist - 5 inches X 2.5 inches - Angle - 3 inches X 3 inches - Angle - 2 inches X 2 inches 3 feet deep concrete on each pole of the board along with supporting iron angle. - Frame should be made from Iron Angle 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding - Fabric cloth should be pocketed & fixed by iron pipes & GI Wire - Structure of the hoarding will be of 5 feet height from the ground level. (Prototype of Hoarding is attached in Annexure -III)					
73	Erection of Mini Hoarding at strategic locations in the City (Including all cost of Installation)	<u>Specification & Structure</u> Size of the Display area in hoarding - 6 ft X 3 ft Display material - Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground - 10 ft L Iron angle (2 inches L iron angle should be used) - Base (inside ground) 2 feet inside cement concrete - Above ground (ground to top) - 8 ft. - Length - 6 ft iron angle (2 inches L Iron angle should be used) - Mid Joist Bar to support display material - 3 ft L iron angle (2 inch L iron angle should be used) (Prototype of Hoarding is attached in Annexure -IV)	Per Certificate Per sq. ft.				
74	Erection of Mini Hoarding at strategic locations in the City (Including all cost of Installation)	<u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material - preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground - 10 ft L Iron angle (2" L Iron angle should be used) - Base (Inside ground) -2 ft inside cement concrete - Above Ground (ground to top) 8 ft - Length - 4 ft L iron angle (2" L Iron angle should be used) - Mid Joist bar to support display material - 3 ft L Iron angle (2" L Iron angle should be used) (Prototype of Hoarding is attached in Annexure -IV)	Per sq. ft. Per Sheet Per card Per sq. ft.				
75	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used - 1 inch Steel square bar, display material:- 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size - 18" X 9"					
76	Welcome Board of MAS	MAS Welcome Board: 2 ft X 1 ft size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1"x1" L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the					

5

display board should be done by applying welding or strength and longevity.

(Prototype of Hoarding is attached in Annexure -V)

77	Report Pad	Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.				
78	Report Pad	Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.				
79	Flipbook for MAS, ASHA & Other FLWs	Size : 30 cm X 20 cm Pages : 50 pages (25 sheets) (Tentative) Paper : 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting				
80	Printing of Health Calendar with lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination				
81	Dynamic Steel/ Aluminium frame wide base Standee	Size : 5ft X 3ft or 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi Colour fabric media printing with mounting				
82	Retro signage for UHND & RI Points	Board Size: 1.5ft height x 1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates. (Prototype of Hoarding is attached in Annexure -VI)				
83	Installation of	Board Size: 4ft height x 3ft Width				

		Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminium sheet / ACP (0.25 +3.50+0.25-pdvf coated) over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading , peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting / reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation etc. required for the work. (Prototype of Hoarding is attached in Annexure –VII)					
84	Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft , top 5ftx2.5ft & top side 10ft long temple model) (Prototype of vehicle attached in Annexure – I)					
85	Movement of Vehicle for awareness on different themes	Vehicle type- TATA ACE, Branding- One Time, On daily basis Mikingin Prominent as well as Market Place & connected areas. (Approx. 30-40 KM per Day as per route chart)					
86	Movement of Vehicle for awareness on different themes	Vehicle type- TATA ACE, Branding- One Time, On daily basis with LED Shows in Prominent as well as Market Place & connected areas. (Approx. 30-40 KM per Day as per route chart)					
87	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi-colour stickering to be made as per sample graphics provided.					
86	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing					
87	Stickering	Radium Stickering					
88	Stickering	Vinyl Stickering					
89	CBAC Form	Paper size- A4, Quality -90 GSM Both side B/W print					
90	Card	12 cm X 9 cm (220 GSM Art Paper) printed with Multi colour					
91	Display of Massage using Tin Plate	Thickness:- 0.30 MM Multi colour Printing					

UNDER TAKING
(to be submitted on Rs.50/-stamp paper)

Tender ref. No. _____

Name of the Item: _____

Date of Supply/Installation: _____

Name of the Consignee: _____

Name of the purchaser: _____

Sir,

I/we _____ here by declare that

1. I/we am/are the manufacturers/authorized agents/distributors of _____
2. I/we do accept/agree for the all clauses of payment terms and conditions of this tender.
3. I / we do hereby confirm that the prices / rates quoted are fixed and are at par with the prices quoted by me / us to any other Govt. of India / Govt. of Odisha institution. I / we also offer to supply the stores at the prices and rates not exceeding those mentioned in the price bid.
4. I / we agree to abide by my / our offer for a period of 365 days from the date of approval of the tender.
5. I / we also declare that in case of change of Indian Agent or for any other change, merger, and dissolution solvency etc. in the organization of our foreign principles; we would take care of the Guarantee/warranty/maintenance of the Items and have provided written confirmation for the same.
6. I / we have carefully read and understood all the terms and conditions of the tender and shall abide by them.

Signature of the witness
Name & address
Dated:-

Signature of the Tenderer
Name & address

Seal of the firm.

N.B: 1.To be attested by Notary Public

2. Only to be submitted by the approved supplier/tenderer to the consignee and a copy to the purchaser before release of payment.



Annexure – I
(Prototype of Van decoration)



[Handwritten signature]


Annexure -II
(Prototype of Canopy)



✓


Annexure -III

Suggested Hoarding Structure Specification



Annexure -IV

Option-1: Suggested Mini Hoarding Structure Specification (6' x 3')




Option-2: Suggested Mini Hoarding Structure Specification (6' x 3')




Handwritten signature/initials

Annexure -V



Annexure -VI



✓

Annexure -VII



[Handwritten signature]